

EXAMPLE OF A HYGIENE MANAGEMENT PLAN

APPLICATION ▼	VEGETATIVE WEEK			FLOWERING WEEK							Basic Cleaning	
	Propagator	1.	2.	3.	1.	2.	3.	4.	5.	6.		7. – Final Week
Hand disinfection	Before any contact and when moving from one room to another											
Disinfection of surfaces and air by spraying or fogging (Purolyt)	4 x weekly 20 ml/L	3 x weekly 20 ml/L		2 x weekly 20 ml/L							20 ml/L	
Disinfection of tools and devices by spraying or immersing (Purolyt)	Before and after every usage: 20 ml/L											
Water tank, operating temperature > 23 ° C (Add Purolyt directly)	Preventive: 2 x weekly 5 - 10 ml per 10 L											40 ml per 10 L
Water tank, operating temperature < 23 ° C (Add Purolyt directly)	Preventive: 1 x weekly 5 - 10 ml per 10 L											40 ml per 10 L
Disinfection or recycling of inert substrate (Purolyt)	Before every vegetation period 10 ml/L											
Removing dead plant parts	Immediately											
Vacuum cleaning	1 x weekly											
Air inlet cleaning	1 x monthly											

Note: Spraying and fogging should be always performed at the end of a lighting phase with reduced light quantities. Avoid direct sunlight / UV light.

Use disinfectants safely. Always read the label and product information before use.